

# INTRODUCTION

Welcome to the User Manual for the LaCie eSATA Hub Thunderbolt™\* Series. With theoretical transfer rates that can reach up to 10Gb/s, the eSATA Hub is the perfect adapter for your eSATA drives. Attach two eSATA enclosures to a single eSATA Hub for newfound speed and performance. For enhanced storage capacity, daisy chain additional eSATA Hubs to attach all your eSATA enclosures. Ideal for professionals that have invested heavily in eSATA disks, the eSATA Hub helps you repurpose and future-proof existing storage. Video editors, graphic artists, and photographers can get the most from their current hard drives thanks to the incredible throughput offered by the LaCie eSATA Hub Thunderbolt Series. Further, eSATA can now be used with all next generation Macintosh computers that support Thunderbolt technology, including MacBook Pros, MacBook Airs, and iMacs.



This manual will guide you through the process of connecting your LaCie eSATA Hub and explain its features. For questions on installation or usage, please consult the [Getting Help](#) page.

## BOX CONTENT

- LaCie eSATA Hub Thunderbolt Series
- Power supply
- eSATA Hub stand for a vertical position
- Quick Install Guide

**Note:** Visit [www.lacie.com](http://www.lacie.com) for details on cables that support Thunderbolt technology.

**Important info:** Please save your packaging. In the event that the eSATA hub should need to be repaired or serviced, it must be returned in its original packaging.

## MINIMUM SYSTEM REQUIREMENTS

Your system must meet certain requirements in order for your LaCie product to function properly. For a list of these requirements, please refer to the product packaging or consult the product support web page at [www.lacie.com/support/](http://www.lacie.com/support/).


\* Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.

**Thunderbolt technology connection:**

The eSATA Hub Thunderbolt Series must be connected to a Macintosh computer that supports Thunderbolt technology.


## VIEWS OF THE DRIVE

### Front View



1. Activity LED
2. Removable stand

## Rear View



1. Chain lock option
2. eSATA ports
3. Power supply connection (12V 2A)
4. Thunderbolt technology ports

## POSITION AND STACKING

The LaCie eSATA Hub Thunderbolt Series may be kept at a vertical or a horizontal position.

- Use the removable stand for a vertical position.
- Place the device on its side for a horizontal position.

LaCie does not support stacking multiple eSATA Hubs. Stacking your eSATA Hub will void the warranty.